



10 MAR 2009

Commissioner for Patents
United States Patent and Trademark Office
P.O. Box 1450
Alexandria, VA 22313-1450
www.uspto.gov

26263
SONNENSCHN NATH & ROSENTHAL LLP
P.O. Box 061080
Wacker Drive Station, Sears Tower
Chicago IL 60606-1080

In re Application of
ISHIKAWA *et al*
U.S. Application No.: 10/595,975
PCT No.: PCT/US2005/001867
Int. Filing Date: 02 February 2005
Priority Date: 18 March 2004
Attorney Docket No.: 09792909-6686
For: GAS EJECTOR, ELECTRONIC
DEVICE, AND GAS-EJECTING
METHOD

COMMUNICATION

This communication is to inform applicants that the PCT number submitted by applicants upon initial filing appears to identify the wrong international application number.

On 23 May 2006, applicants filed the above-captioned application using the USPTO EFS-Web system and requested that the application be processed as the national stage application of PCT/US05/001867. As such, the subject application was processed by the USPTO as the national stage of PCT/US05/001867.

However, the declaration submitted with the national stage papers identified the PCT as PCT/JP05/001867. Moreover, international records indicate that the title and specification correspond to PCT/JP2005/001867.

In order to change the PCT number in the above-captioned application, applicants must file a petition pursuant to 37 CFR 1.182. A \$400.00 petition fee is required.

Applicants have **TWO (2) MONTHS** from the mail date of this communication to respond. Extensions of time are available pursuant to 37 CFR 1.136.

Any further correspondence with respect to this matter may be filed electronically using the USPTO EFS-Web or if mailed addressed to Mail Stop PCT, Commissioner for Patents, Office of PCT Legal Administration, P.O. Box 1450, Alexandria, Virginia 22313-1450, with the contents of the letter marked to the attention of the Office of PCT

10/595,975

Legal Administration.

A handwritten signature in cursive script that reads "James Thomson".

James Thomson

Attorney Advisor

Office of PCT Legal Administration

Tel.: (571) 272-3302